


# Recommended COVID-19 vaccine doses<sup>1</sup>

## Primary course recommendations




### Notes:

1. Monovalent Omicron XBB.1.5 vaccines are preferred; for ages in which a monovalent XBB.1.5-containing vaccine is not available, [use other vaccines approved for that age group](#).
2. Includes those with a medical condition that increases the risk of severe COVID-19 illness (refer to [Australian Immunisation Handbook](#)) or those with disability with significant or complex health needs or multiple comorbidities which increase the risk of poor outcomes from COVID-19.
3. Consider dose based on an individual risk benefit assessment with an immunisation provider.
4. People with severe immunocompromise, who are over 6 months of age, are recommended 2 primary doses and are eligible for a 3<sup>rd</sup> primary dose based on an individual risk-benefit assessment. Please refer to the [Australian Immunisation Handbook](#) for further information.

# Recommended COVID-19 vaccine doses<sup>1</sup>

## COVID-19 Booster dose recommendation



### Notes:

1. Monovalent Omicron XBB.1.5 vaccines are preferred; for ages in which a monovalent XBB.1.5-containing vaccine is not available, [use other vaccines approved for that age group](#).
2. Consider dose based on an individual risk benefit assessment with an immunisation provider.
3. People with severe immunocompromise, who are aged between 18 to 64 years, are recommended a dose every 12 months and are eligible for a dose every 6 months based on an individual risk-benefit assessment. Please refer to the [Australian Immunisation Handbook](#) for further information.
4. People aged between 65 and 74 years are recommended a dose every 12 months and are eligible for a dose every 6 months based on an individual risk-benefit assessment. Please refer to the [Australian Immunisation Handbook](#) for further information.